


# 16GB Computer memory DDR4 for Supermicro X12STL-IF UDIMM ECC



#### PHS-memory® - computer memory with 100% quality

- many years of IT competence
- Free support for optimal configuration and product selection
- High availability through professional warehouse management
- Fast delivery in throughout Europe
- Short response times and professional order processing due to full digitalization throughout the entire process with complete traceability
- Incoming goods inspection include checks of the DRAMs, PCBs and the programmed SPDs in order to exclude possible errors (Controlled BOM).
- PHS-memory® brand memories guarantee 100% compatibility to the specified system.
- PHS-memory® memories can be used together with existing memories in the device depends on to the configuration rules of the system.
- The "fallback option" in the SPD of PHS-memory® allows DRAMs with higher clock rates to be operated together with older memory modules with lower clock rates within the system.
- Products with unique serial number for service and warranty
- Pre-sales and after-sales support by technically trained personnel



# Memory Specification

-	133.35mm	
DR4 UDIMM ECC Warranty vold if removed		31.25mm 30.75mm 17.60mm
56.10mm	64.60mm	

Memory technologyDDR4ECC supportjaJEDEC NormPC4-25600ETypeUDIMM ECC (ECC unbuffered)Number of pins288 Pin DIMMMemory data transfer rate3200MHz @ CL22Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278EAN4064578594138	Memory size	16GB
JEDEC NormPC4-25600ETypeUDIMM ECC (ECC unbuffered)Number of pins288 Pin DIMMMemory data transfer rate3200MHz @ CL22Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Memory technology	DDR4
TypeUDIMM ECC (ECC unbuffered)Number of pins288 Pin DIMMMemory data transfer rate3200MHz @ CL22Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	ECC support	ја
Number of pins288 Pin DIMMMemory data transfer rate3200MHz @ CL22Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	JEDEC Norm	PC4-25600E
Memory data transfer rate3200MHz @ CL22Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Туре	UDIMM ECC (ECC unbuffered)
Voltage1,2 VoltSpeciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Number of pins	288 Pin DIMM
Speciality-Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Memory data transfer rate	3200MHz @ CL22
Board dimensions133,35 x 31,25 (LxB mm)Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Voltage	1,2 Volt
Operating temperature0° C - 85° CStorage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Speciality	-
Storage temperature-40° C - +95° CRoHS compliantYesSKUSP396278	Board dimensions	133,35 x 31,25 (LxB mm)
RoHS compliantYesSKUSP396278	Operating temperature	0° C - 85° C
<b>SKU</b> SP396278	Storage temperature	-40° C - +95° C
	RoHS compliant	Yes
EAN 4064578594138	SKU	SP396278
	EAN	4064578594138
	EAN	4064578594138

Note: The module specified in this datasheet is one of several possible configurations available under this part number.

Some details may differ from the specifications described here and the illustration, but have no negative influence on the functionality.



## System Specifications

The memory is 100% compatible with this sytem:

System manufacturer	Supermicro
Device type	Server-Mainboard
Device family	Mainboard X
Device series	X12 Serie
Device name	X12STL-IF
Maximum memory*	128GB
Number of memory sockets	4

\* The specifications for the maximum memory upgrade may differ from those of the manufacturer Supermicro. Often the information given in the manual for the maximum memory upgrade is not up to date. New memory technologies, bios updates or newer software versions often allow the use of memory modules with a higher capacity than specified by the manufacturer with the same performance and stability.

# Information on memory installation

- Turn off the system
- Remove the plug of the power supply unit (if connected)
- Remove the battery, according to the user manual of the system
- Always ground yourself before touching electronic components
- Protect the memory module from static voltages:
- Do not touch the gold pins of the memory module
- Only touch the sides of the memory module
- Use a grounding strap and/or ESD glove if possible

General installation instructions are supplied by E-Mail.



### Further memory options for Supermicro X12STL-IF

Size	SKU	Technology	Туре	Number of pins	Brand	Reference no.
8GB	SP396280	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	
16GB	SP396278	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	MEM-DR416LD- EU32
32GB	SP396279	DDR4	UDIMM ECC (ECC unbuffered)	288 Pin DIMM	PHS-memory®	MEM-DR432MD- EU32

#### PHS-memory® warranty

Every PHS-memory® is equipped with a 5-years-warranty of perfect operation. If the RAM module is defective or fails within 5 years of purchase when used properly, you will receive an appropriate RAM module free of charge. If a suitable memory module is no longer available, we will refund the purchase price.



For more information on warranty and service please visit https://www.phs-memory.it/-W5Y

#### Contact Information

PHS-electronic gmbh - www.phs-memory.it -Karl-Götz-Str. 5 97424 Schweinfurt Germania Phone: +49 9721 784678 E-Mail: info@phs-memory.it Web: www.phs-memory.it

All information without guarantee. Technical changes and errors excepted. You can find current price information in our online shop at https://www.phs-memory.it